

**U.S. FISH AND WILDLIFE SERVICE
SPECIES ASSESSMENT AND LISTING PRIORITY ASSIGNMENT FORM**

SCIENTIFIC NAME: *Phyllostegia bracteata*

COMMON NAME: No common name

LEAD REGION: Region 1

INFORMATION CURRENT AS OF: August 2005

STATUS/ACTION

☐ Species assessment - determined species did not meet the definition of endangered or threatened under the Act and, therefore, was not elevated to Candidate status

☐ New candidate

☒ Continuing candidate

☐ Non-petitioned

☒ Petitioned - Date petition received: May 11, 2004

☐ 90-day positive - FR date:

☒ 12-month warranted but precluded - FR date: May 11, 2005

☐ Did the petition request a reclassification of a listed species?

☐ Listing priority change

Former LP: ☐

New LP: ☐

Date when the species first became a Candidate (as currently defined): 1997

☐ Candidate removal: Former LP: ☐

☐ A – Taxon is more abundant or widespread than previously believed or not subject to the degree of threats sufficient to warrant issuance of a proposed listing or continuance of candidate status.

☐ U – Taxon not subject to the degree of threats sufficient to warrant issuance of a proposed listing or continuance of candidate status due, in part or totally, to conservation efforts that remove or reduce the threats to the species.

☐ F – Range is no longer a U.S. territory.

☐ I – Insufficient information exists on biological vulnerability and threats to support listing.

☐ M – Taxon mistakenly included in past notice of review.

☐ N – Taxon does not meet the Act's definition of "species."

☐ X – Taxon believed to be extinct.

ANIMAL/PLANT GROUP AND FAMILY: Flowering plants, Lamiaceae (Mint family)

HISTORICAL STATES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii, island of Maui

CURRENT STATES/ COUNTIES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii,

island of Maui

LAND OWNERSHIP:

Phyllostegia bracteata occurs on private, State, and Federal lands (Haleakala National Park).

LEAD REGION CONTACT: Paul Phifer, 503-872-2823, paul_phifer@fws.gov

LEAD FIELD OFFICE CONTACT: Pacific Islands Fish and Wildlife Office, Christa Russell, 808-792-9400, christa_russell@fws.gov

BIOLOGICAL INFORMATION:

Species Description *Phyllostegia bracteata* is a scandent perennial herb with a somewhat woody base and curved hairs on the stems. Ovate leaves are membranous with crenate margins. Both surfaces of the leaves are pubescent with the lower surface densely dotted with glands. Flowers have a slightly curved white corolla and are born on racemose inflorescences. *Phyllostegia bracteata* appears to be closely related to *P. lantanoides* of Oahu. It differs primarily in its smaller corolla, larger leaves and villous pubescence on the stems and all around the petioles (Wagner *et al.* 1999a).

Taxonomy *Phyllostegia bracteata* was described by Sherff. This species is recognized as a distinct taxon in Wagner *et al.* (1999a) and Wagner and Herbst (2003), the most recently accepted Hawaiian plant taxonomy.

Habitat Wet forest at elevations between 1,300 and 1,830 meters (4,250 and 6,000 feet) (Wagner *et al.* 1999a).

Historical and Current Range/Current Status Apparently rare and endemic to the island of Maui, *Phyllostegia bracteata* is known from three populations totaling no more than 100 individuals in wet forest of east Maui (Robert Hobdy, Hawaii Division of Forestry and Wildlife, pers. comm. 1996; Arthur C. Medeiros III, U.S.G.S. Biological Resources Division, pers. comm. 1996; Wagner 1999). Two additional plants have been found in wet forest of west Maui (Hank Oppenheimer, Maui Land and Pineapple Company, pers. comm. 2004). While we do not know the long-term population trends of this species due to lack of historical data, it is reasonable to assume the populations have continued to decline, since not all of the threats are being managed throughout of its range.

THREATS:

A. The present or threatened destruction, modification, or curtailment of its habitat or range. This species is highly and imminently threatened by feral pigs (*Sus scrofa*) that degrade and destroy habitat (R. Hobdy, pers. comm. 1996; A. Medeiros III, pers. comm. 1996). As early as 1778, European explorers introduced livestock, which became feral, increased in number and range, and caused significant changes to the natural environment of Hawaii. Past and present activities of introduced alien mammals are the primary factor altering and degrading vegetation and habitat. Pigs are currently present on all the islands where *Phyllostegia bracteata* occurs, and inhabit rain forests and grasslands. While rooting in the ground in search of the

invertebrates and plant material they eat, feral pigs disturb and destroy vegetative cover, trample plants and seedlings, and threaten forest regeneration by damaging seeds and seedlings. They disturb soil and cause erosion, especially on slopes. Alien plant seeds are dispersed on their hooves and coats as well as through their digestive tracts, and the disturbed soil is fertilized by their feces, helping these plants to establish (Cuddihy and Stone 1990; Wagner *et al.* 1999a). No known conservation measures have been implemented to date to address this threat.

B. Overutilization for commercial, recreational, scientific, or educational purposes.

None known.

C. Disease or predation.

Because Hawaii's native plants evolved without any browsing or grazing mammals present, many lost natural defenses to such impacts (Carlquist 1980, Lamoureux 1994). Browsing by ungulates has been observed on many other native species, including common and rare or endangered species (Cuddihy and Stone 1990; Loope *et al.* 1991). Therefore, even though we have no evidence of browsing for this species, it is likely that pigs impact this species directly as well as their indirect impacts to the surrounding habitat. No known conservation measures have been implemented to date to address this threat.

D. The inadequacy of existing regulatory mechanisms.

Pigs are managed in Hawaii as game animals, but many herds populate inaccessible areas where hunting is difficult, if not impossible, and therefore has little effect on their numbers. Pig hunting is allowed on all islands either year-round or during certain months, depending on the area (Hawaii Department of Lands and Natural Resources n.d.-a, n.d. b, n.d.-c, 1990). However, public hunting does not adequately control the number of ungulates to eliminate this threat to native plant species. No other known conservation measures have been implemented to date to address this threat.

E. Other natural or manmade factors affecting its continued existence.

This species is threatened by alien plant species that degrade and destroy habitat (R. Hobdy, pers. comm. 1996; A. Medeiros III, pers. comm. 1996). Although the exact pest species that threaten this plant have not been identified, alien pest plants are found throughout the areas where this species occurs. With only four populations of 100 or fewer individuals, reduced reproductive vigor and extinction due to stochastic events, such as hurricanes or landslides, are also threats to *Phyllostegia bracteata*.

The original native flora of Hawaii consisted of about 1,400 species, nearly 90 percent of which were endemic. Of the total native and naturalized Hawaiian flora of 1,817 taxa, 47 percent were introduced from other parts of the world, and nearly 100 species have become pests (Smith 1985; Wagner *et al.* 1999a). Several studies (Cuddihy and Stone 1990; Wood and Perlman 1997; Robichaux *et al.* 1998) indicate nonnative plant species may outcompete native plants similar to *Phyllostegia bracteata*. Competition may be for space, light, water, or nutrients, or there may be a chemical inhibition of other plants (Smith 1985; Cuddihy and Stone 1990). In addition, nonnative pest plants found in habitat similar to that of this species have been shown to make the habitat less suitable for native species (Smathers and Gardner 1978; Smith 1985; Loope and

Medeiros 1992; Medeiros *et al.* 1992; Ellshoff *et al.* 1995; Meyer and Florence 1996; Medeiros *et al.* 1997; Loope *et al.* 2004). In particular, alien pest plant species modify habitat by modifying availability of light, altering soil-water regimes, modifying nutrient cycling, or altering fire characteristics of native plant communities (Smith 1985; Cuddihy and Stone 1990; Vitousek *et al.* 1987). Because of demonstrated habitat modification and resource competition by nonnative plant species in habitat similar to habitat of *Phyllostegia bracteata*, the Service believes nonnative plant species are a threat to *Phyllostegia bracteata*. The remaining unmanaged populations of *Phyllostegia bracteata* are still impacted by this threat.

No known conservation measures have been implemented to date to address this threat.

CONSERVATION MEASURES PLANNED OR IMPLEMENTED

The population on National Park Service lands is protected by that agency's regulations that prohibit destruction (*e.g.*, vandalism) of native species and natural resources within national park boundaries.

SUMMARY OF THREATS:

The major threats to this taxon are feral ungulates that degrade and destroy habitat, nonnative plants that compete for light and nutrients, and reduced reproductive vigor and extinction due to stochastic events, which are believed to be a major cause of the decline of this species throughout its range. No known conservation measures have been implemented to date to address these threats.

LISTING PRIORITY

THREAT			
Magnitude	Immediacy	Taxonomy	Priority
High	Imminent	Monotypic genus	1
		Species	2*
	Non-imminent	Subspecies/population	3
		Monotypic genus	4
		Species	5
		Subspecies/population	6
Moderate to Low	Imminent	Monotypic genus	7
		Species	8
		Subspecies/population	9
	Non-imminent	Monotypic genus	10
		Species	11
		Subspecies/population	12

Rationale for listing priority number:

Magnitude:

This species is highly threatened by feral pigs that may directly prey upon it, degrade and destroy habitat and nonnative plants that compete for light and nutrients. Threats to the wet forest habitat of *Phyllostegia bracteata* and to individuals of this species occur throughout its range, and are expected to continue or increase without control or eradication. No known conservation measures have been implemented to date to address these threats.

Imminence:

Threats to *Phyllostegia bracteata* from feral pigs and nonnative plants are imminent because they are ongoing.

Yes Have you promptly reviewed all of the information received regarding the species for the purpose of determining whether emergency listing is needed?

Is Emergency Listing Warranted? No. The species does not appear to be appropriate for emergency listing at this time because the immediacy of the threats is not so great as to imperil a significant proportion of the taxon within the time frame of the routine listing process. If it becomes apparent that the routine listing process is not sufficient to prevent large losses that may result in this species' extinction, then the emergency rule process for this species will be initiated. We will continue to monitor the status of *Phyllostegia bracteata* as new information becomes available. This review will determine if a change in status is warranted, including the need to make prompt use of emergency listing procedures.

DESCRIPTION OF MONITORING:

Much of the information in this form is based on the results of a meeting of 20 botanical experts held by the Center for Plant Conservation in December of 1995, and was updated by personal communication with Arthur C. Medeiros III of U.S.G.S. Biological Resources Division in 1996 and Robert Hobdy of the Hawaii Division of Forestry and Wildlife in 1996. We have incorporated additional information on this species from our files and the most recent supplement to the *Manual of the Flowering Plants of Hawaii* (Wagner and Herbst 2003). In 2004, the Pacific Islands office contacted the following species experts: Bob Hobdy, retired from Hawaii Division of Forestry and Wildlife; Joel Lau, Hawaii Natural Heritage Program; Art Medeiros, U.S.G.S. Biological Resources Discipline; Hank Oppenheimer, resource manager for Maui Land and Pineapple Company; and Steve Perlman and Ken Wood, National Tropical Botanical Garden. New information on status and range was provided by Hank Oppenheimer in 2004. In 2005 we contacted the species experts listed below, but received no new information on this taxon.

The Hawaii Natural Heritage Program identified this species as critically imperiled (Hawaii Natural Heritage Program Database 2004). Based on the International Union for Conservation of Nature and Natural Resources Red Plant Data Book rarity categories, this species is recognized as Rare (could be considered at risk) by Wagner *et al.* (1999b).

Species experts were contacted but did not provide new information this year, no new literature was found, and no known entities are studying this species. However, it is highly likely that the previously reported threats continue to impact the species at the same or an increased level.

COORDINATION WITH STATES:

In October 2004 we provided the Hawaii Division of Forestry and Wildlife with copies of our most recent candidate assessments for their review and comment. Vickie Caraway, the State botanist, reviewed the information for this species and provided no additional information or corrections (V. Caraway, pers. comm. 2005).

LITERATURE CITED

List all experts contacted:

Name	Date	Place of Employment
1. Joel Lau	June 28, 2005	Hawaii Natural Heritage Program
2. Art Medeiros	June 28, 2005	U.S.G.S. Biological Resources Discipline
3. Linda Pratt	June 28, 2005	U.S.G.S. Biological Resources Discipline
4. Rick Warshauer	June 28, 2005	U.S.G.S. Biological Resources Discipline
5. Hank Oppenheimer	June 28, 2005	Maui Land and Pineapple Company
6. Kapua Kawelo	June 28, 2005	U.S. Army
7. Dave Lorence	June 28, 2005	National Tropical Botanical Garden
8. Steve Perlman	March 29, 2005	National Tropical Botanical Garden
9. Ken Wood	August 2, 2005	National Tropical Botanical Garden
10. Marie Brueggmann	July 13, 2005	U.S. Fish and Wildlife Service
11. Vickie Caraway	June 14, 2005	Hawaii Division of Forestry and Wildlife

List all databases searched:

Name	Date
1. Hawaii Natural Heritage Program	2004

Other resources utilized:

Carlquist, S. 1980. Hawaii: A natural history, 2nd edition. Pacific Tropical Botanical Garden, Honolulu. 468 pp.

Center for Biological Diversity, Dr. Jane Goodall, Dr. E.O. Wilson, Dr. Paul Ehrlich, Dr. John Terborgh, Dr. Niles Eldridge, Dr. Thomas Eisner, Dr. Robert Hass, Barbara Kingsolver, Charles Bowden, Martin Sheen, the Xerces Society, and the Biodiversity Conservation Alliance. 2004. Hawaiian Plants: petitions to list as federally endangered species. May 4, 2004.

Cuddihy, L.W., and C.P. Stone. 1990. Alteration of native Hawaiian vegetation; effects of humans, their activities and introductions. Coop. Natl. Park Resources Stud. Unit, Hawaii. 138 pp.

Ellshoff, Z.E., D.E. Gardner, C. Wikler, and C.W. Smith. 1995. Annotated bibliography of the genus *Psidium*, with emphasis on *P. cattleianum* (strawberry guava) and *P. guajava* (common guava), forest weeds in Hawai'i. Cooperative National Park Resources Studies Unit, University of Hawaii. Technical Report 95.

Hawaii, Department of Land and Natural Resources. N.d.-a. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Oahu. Division of Forestry and Wildlife, Honolulu. 2 pp.

Hawaii, Department of Land and Natural Resources. N.d.-b. Summary of Title 13, Chapter 123,

- Game mammal hunting rules, island of Molokai. Division of Forestry and Wildlife, Honolulu. 2 pp.
- Hawaii, Department of Land and Natural Resources. N.d.-c. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Maui. Division of Forestry and Wildlife, Honolulu. 2 pp.
- Lamoureux, C.H. 1994. Conserving Hawaiian biodiversity – the role of Hawaiian botanical gardens. Pp. 55-57. In: C.-I Peng and C.H. Chou (eds.). Biodiversity and Terrestrial Ecosystems. Institute of Botany, Academia Sinica Monograph Series No. 14.
- Loope, L.L. 1998. Hawaii and Pacific Islands. Pp. 747-774. In: M.J. Mac, P.A. Opler, C.E. Puckett Haecker, and P.D. Doran (eds.). Status and Trends of the Nation's Biological Resources, Volume 2. U.S. Department of the Interior, U.S. Geological Survey, Reston, VA.
- Loope, L.L., A.C. Medeiros, and B.H. Gagné. 1991. Recovery of Vegetation of a montane bog following protection from feral pig rooting. Coop. Natl. Park Resources Studies Unit, Univ. Hawaii/Manoa, Dept. Of Botany, Tech. Rept. 77.
- Loope, L.L. and A.C. Medeiros. 1992. A new and invasive grass on Maui. Newsletter of the Hawaiian Botanical Society 31: 7-8.
- Loope, L., F. Starr and K. Starr. 2004. Management and research for protecting endangered Hawaiian plant species from displacement by invasive plants on Maui, Hawaii. Weed Technology 18: 1472-1474.
- Medeiros, A.C., L.L. Loope, P. Conant and S. McElvaney. 1997. Status, ecology, and management of the invasive plant, *Miconia calvescens* DC (Melastomataceae) in the Hawaiian Islands. Bishop Mus. Occas. Pap. 48: 23-36.
- Medeiros, A.C., L.L. Loope, T. Flynn, S.J. Anderson, L.W. Cuddihy, and K.A. Wilson. 1992. Notes on the status of an invasive Australian tree fern (*Cyathea cooperi*) in Hawaiian rain forests. American Fern Journal 82: 27-33.
- Medeiros, A.C., Jr., L.L. Loope, and R.A. Holt. 1986. Status of native flowering plant species on the south slope of Haleakala, East Maui, Hawaii. Coop. Natl. Park Resources Stud. Unit, Hawaii, Techn. Rept. 59:1-230.
- Robichaux, R., J. Canfield, F. R. Warshauer, L. Perry, M. Bruegmann, and G. Carr. 1998. Adaptive Radiation. Endangered Species Bulletin. November/December.
- Scott, J.M., S. Mountainspring, F.L. Ramsey, and C.B. Kepler. 1986. Forest bird communities of the Hawaiian Islands: Their dynamics, ecology, and conservation. Studies in Avian Biology 9: 1-429. Cooper Ornithological Society, Los Angeles.
- Smathers, G.A. and D.E. Gardner. 1978. Stand analysis of an invading firetree (*Myrica faya* Aiton) population, Hawai'i. Proceeding of the Second Conference on Natural Science, Hawaii Volcanoes National Park, pp. 274-288.
- Smith, C.W. 1985. Impact of alien plants on Hawai'i's native biota: in Stone, C.P., and J.M. Scott (eds.), Hawai'i's terrestrial ecosystems: preservation and management. Coop. Natl. Park Resources Stud. Unit, Univ. Hawaii, Honolulu, pp. 180-250.
- Stone, C.P. 1985. Alien animals in Hawai'i's native ecosystems: toward controlling the adverse effects of introduced vertebrates: in Stone, C.P., and J.M. Scott (eds.), Hawai'i's terrestrial ecosystems: preservation and management. Coop. Natl. Park Resources Stud. Unit, Univ. Hawaii, Honolulu, pp. 251-297.
- Tomich, P.Q. 1986. Mammals in Hawai'i; a synopsis and notational bibliography. Bishop

- Museum Press, Honolulu. 375 pp.
- Vitousek, P.M., C.M. D'Antonio, L.L. Loope, M. Rejnaneck, and R. Westerbrooks. 1997. Introduced species: a significant component of human-caused global change. *New Zealand Journal of Ecology* 21(1): 1-16.
- Wagner, W.L. 1999. Nomenclator and review of *Phyllostegia* (Lamiaceae). *Novon* 9: 265-279.
- Wagner, W.L., D.R. Herbst, and S.H. Sohmer. 1999a. Manual of the Flowering Plants of Hawai'i, Bishop Mus. Spec. Publ. 97: 1-1918. University of Hawaii Press and Bishop Museum Press, Honolulu.
- Wagner, W.L., M.M. Brueggmann, and J.Q.C. Lau. 1999b. Hawaiian vascular plants at risk: 1999. Bishop Mus. Occas. Pap. 60: 1-58.
- Wagner, W.L. and D.R. Herbst. 2003. Electronic supplement to the manual of flowering plants of Hawai'i, version 3.1. December 12, 2003. Available from the Internet. URL: <http://rathbun.si.edu/botany/pacificislandbiodiversity/hawaiianflora/supplement.htm>.
- Wenham, R. 1969. Kauai and the park country of Hawaii. Sierra Club, San Francisco. 160 pp.
- Wood, K.R. and S. Perlman. 1997. Maui 14 plant survey final report. Submitted by National Tropical Botanical Garden, October, 1997.

APPROVAL/CONCURRENCE: Lead Regions must obtain written concurrence from all other Regions within the range of the species before recommending changes to the candidate list, including listing priority changes; the Regional Director must approve all such recommendations. The Director must concur on all 12-month petition findings, additions of species to the candidate list, removal of candidate species, and listing priority changes.

Approve: **Acting** David W. Winkler 11/10/05
Regional Director, Fish and Wildlife Service Date

Marshall P. Jones

Concur: _____ August 23, 2006
Director, Fish and Wildlife Service Date

Do not concur: _____
Director, Fish and Wildlife Service Date

Date of annual review: September 20, 2005
Conducted by: Marie M. Brueggmann, Pacific Islands FWO
Plant Recovery Coordinator

Comments:
PIFWO Review

Reviewed by: Christa Russell Date: September 26, 2005
Plant Conservation Program Leader

Gina Shultz Date: October 14, 2005
Assistant Field Supervisor,
Endangered Species

Patrick Leonard Date: October 14, 2005
Field Supervisor